




> SPECIALTY PRODUCTS



> LARGE RUGGEDIZED SHIPPING CASES



> BLACKBOX™ RACK MOUNT CASES



> XX-LARGE RUGGEDIZED SHIPPING CASES

> **HARDIGG® ROTO-PACK  
PRODUCT LIST**



**> ROTO MOULDING TECHNOLOGY** is a versatile manufacturing process that produces highly durable ruggedized shipping cases. Several moulds are placed on a machine at the same time, plastic resin is loaded into each of the moulds which are then heated and slowly rotated on both the vertical and horizontal axis.

**DESIGN ADVANTAGES:** Roto Moulding results in seamless parts with more material in the corners and edges for additional impact protection. Since the material is not stressed during production the finished part is stronger.

Go to: [rotopack.peli.com](http://rotopack.peli.com)  
for a complete description of the  
Roto Moulding process

CATALOGUE NUMBER:  
BB0030-0000-110E

CATALOGUE NUMBER:  
BB0050-0000-110E

CATALOGUE NUMBER:  
BB0050-0000-110E



## > BLACKBOX™ RACK MOUNT CASES

These lightweight, compact, and double ended cases offer light to medium duty protection and boast significantly better light duty shock performance than the competition. The use of recycled materials in the shell and a sturdy steel frame offer great value while upholding Hardigg's industry-leading standards. When you need to be cost-conscious but can't sacrifice performance, BlackBox is the answer.

- 61 cm (24") Rugged steel rack frame with M6 threads designed to meet ANSI/EIA 310-C
- Rack designed for applications up to 45 kg (100lbs)
- Shock mounts provide 5.1cm (2") of sway space to isolate equipment
- 5.1 cm (2") lid and 12.7cm (5") lid with edge casters

## > BLACKBOX™ RACK MOUNT CASES

PRODUCT	CATALOGUE NUMBER	FEATURES APPLICATION EXAMPLES	RACK* HEIGHT U-SIZE	RACK* LENGTH	RACK* WIDTH	LID I.D.* FRONT/ BACK <sup>1</sup>	LENGTH* O.D. <sup>2</sup>	WIDTH* O.D.	HEIGHT* O.D. <sup>3</sup>	WEIGHT*
BLACKBOX™ RACK MOUNT CASE With 3 unit rack mount	BB0030-0000-110E	<b>FEATURES:</b> <ul style="list-style-type: none"> <li>• Engineered racks provide a secure and mobile electronics enclosure</li> <li>• 2 wheels</li> <li>• Lightweight and compact</li> <li>• Shock-mounts</li> <li>• Shock mounts provide 5.1cm of sway space to isolate equipment</li> <li>• Moulded-in rib design provides secure stacking and interlock</li> <li>• Patented wide-design Comfort grip handles™ make lifting easy</li> <li>• Black hardware is long-lasting and fastens securely</li> </ul> <b>APPLICATION EXAMPLES:</b> <ul style="list-style-type: none"> <li>• Audio/Video recording and processing systems</li> <li>• Satellite communication systems</li> <li>• Radio communication systems</li> <li>• Seismic data recording instrumentation</li> <li>• Climate data collection</li> </ul>	13.3 cm	61 cm	48.3 cm	5.6/13.2 cm	97.8 cm	62.5 cm	28.9 cm	19.1 kg
BLACKBOX™ RACK MOUNT CASE With 4 unit rack mount	BB0040-0000-110E		17.8 cm	61cm	48.3 cm	5.6/13.2 cm	97.8 cm	62.5 cm	33.3 cm	21.3 kg
BLACKBOX™ RACK MOUNT CASE With 5 unit rack mount	BB0050-0000-110E		22.2 cm	61 cm	48.3 cm	5.6/13.2 cm	97.8 cm	62.5cm	37.8 cm	21.8 kg
BLACKBOX™ RACK MOUNT CASE With 7 unit rack mount	BB0070-0000-110E		31.1 cm	61 cm	48.3 cm	5.6/13.2 cm	97.8 cm	62.5 cm	46.7 cm	23.1 kg
BLACKBOX™ RACK MOUNT CASE With 9 unit rack mount	BB0090-0000-110E		40 cm	61 cm	48.3 cm	5.6/13.2 cm	97.8 cm	62.5 cm	55.6 cm	25.4 kg
BLACKBOX™ RACK MOUNT CASE With 11 unit rack mount	BB0110-0000-110E		48.9 cm	61 cm	48.3 cm	5.6/13.2 cm	97.8 cm	62.5 cm	64.4 cm	27.2 kg
BLACKBOX™ RACK MOUNT CASE With 14 unit rack mount	BB0140-0000-110E		62.2 cm	61 cm	48.3 cm	5.6/13.2 cm	97.8 cm	62.5 cm	77.8 cm	29.9 kg

\* All dimensions are approximate

1 - Lid Outside Dimension (O.D.) = 3.3 cm on 13.2 cm lids and plus 2.8 cm on 5.6 cm lids

2 - Length includes stiffening ribs

3 - Height excludes 1.1cm stacking ribs



**SINGLE FIELD DESK**

CATALOGUE NUMBER:  
FD3121-0000-130

## > SPECIALTY PRODUCTS

Our specialty products are well engineered portable workspace solutions. These Specialty Products range from portable desks that setup in minutes to storage chests with metal drawers and dividers to keep all your supplies safe and organised. For protecting personal gear, our footlockers and trunklockers are lightweight and lockable. Whatever your need, whatever the environment, we have a durable solution to keep the job moving along.

### > SPECIALTY PRODUCTS

PRODUCT	CATALOGUE NUMBER	FEATURES APPLICATION EXAMPLES	DIMENSIONS* LENGTH x WIDTH x HEIGHT	WEIGHT*					
	SINGLE FIELD DESK FD3121-0000-130	<b>FEATURES:</b> <ul style="list-style-type: none"> <li>• 1 Large work surface, chair, and drawers</li> <li>• 6 Drawers: 2 shallow (padlock for extra security), 2 deep, 2 file sizes</li> <li>• 1 Chair: load rated to 136 kg each • airtight and watertight</li> </ul> <b>APPLICATION EXAMPLES:</b> Command centers, Construction sites, Emergency aid shelters	<ul style="list-style-type: none"> <li>• Collapsed form: 78 x 53.3 x 72.4 cm</li> <li>• Extended form: 156 x 72.4 x 72.4 cm</li> </ul>	37 kg					
	DOUBLE DUTY FIELD DESK FD3429-0000-130	<b>FEATURES:</b> <ul style="list-style-type: none"> <li>• 2 Large desk surfaces, with rolling casters</li> <li>• 6 Drawers: 2 shallow (padlock for extra security), 2 Deep, 2 file sizes</li> <li>• 2 Casters</li> <li>• 2 Chairs: Load rated to 136 kg each</li> <li>• Airtight and watertight</li> </ul> <b>APPLICATION EXAMPLES:</b> Command centers, Construction sites, Emergency aid shelters	<ul style="list-style-type: none"> <li>• Collapsed form: 86.4 X 63.2 X 72.4 cm</li> <li>• Extended form: 259.1 x 72.4 x 72.4 cm</li> </ul>	45.5 kg					
	TRUNKLOCKER TL3619-0000-130	<b>FEATURES:</b> <ul style="list-style-type: none"> <li>• Storage locker</li> <li>• Extra-deep storage cavity</li> <li>• Injection moulded outer shell</li> <li>• Moulded-in stacking ribs</li> <li>• Two press &amp; pull latches</li> <li>• Two organisation trays</li> <li>• Water resistant</li> </ul> <b>APPLICATION EXAMPLES:</b> General storage, Tool storage, Emergency preparedness supplies	<ul style="list-style-type: none"> <li>• Exterior dimensions: 92.2 x 47.0 x 49.7 cm</li> <li>• Interior dimensions: 83.8 x 38.1 x 45.5 cm</li> </ul>	11.8 kg					
	FOOTLOCKER FT3317-0000-130	<b>FEATURES:</b> <ul style="list-style-type: none"> <li>• 2 wheels</li> <li>• Spring loaded butterfly latches</li> <li>• 2 black trays</li> <li>• Airtight and watertight</li> </ul> <b>APPLICATION EXAMPLES:</b> Command centers, Construction sites, Emergency aid shelters	<ul style="list-style-type: none"> <li>• Exterior dimensions: 83.8 x 43.8 x 43.8 cm</li> <li>• Interior dimensions: 73.7 x 35.6 x 38.1 cm</li> </ul>	12.3 kg					
	MEDCHEST 3 MC3000-3018-130	<b>FEATURES:</b> <ul style="list-style-type: none"> <li>• Storage chest</li> <li>• 2 wheels</li> <li>• Spring loaded butterfly latches</li> <li>• Airtight and watertight</li> <li>• Made from fire retardant material</li> <li>• 7.6 x 12.7 cm Card holder</li> </ul> <b>APPLICATION EXAMPLES:</b> Emergency response supplies, Medicines, Maintenance/Repair/Operations Parts	<ul style="list-style-type: none"> <li>• Exterior dimensions: 83.8 x 53.3 x 31.8 cm</li> <li>• Interior dimension: 76.2 x 45.7 x 27.9 cm</li> </ul>	11.3 kg					
	MEDCHEST 4 DRAWER MC4100-0040-130	<b>FEATURES:</b> <ul style="list-style-type: none"> <li>• Four-drawer case with full extension sliding drawers</li> <li>• 2 wheels</li> <li>• Spring loaded butterfly latches</li> <li>• Full-extension ball-bearing slides</li> <li>• Made from fire retardant material</li> <li>• Airtight and watertight</li> <li>• Customisable divider system</li> </ul> <b>APPLICATION EXAMPLES:</b> Emergency response supplies and medicines	<table border="1"> <thead> <tr> <th>DRAWER #</th> <th>LENGTH x WIDTH x DEPTH</th> </tr> </thead> <tbody> <tr> <td>1, 2, 3, 4</td> <td>38.1 x 17.5 x 19.8 cm</td> </tr> </tbody> </table>	DRAWER #	LENGTH x WIDTH x DEPTH	1, 2, 3, 4	38.1 x 17.5 x 19.8 cm	<ul style="list-style-type: none"> <li>• Exterior dimensions: 83.8 x 53.3 x 31.8 cm</li> </ul>	29 kg
			DRAWER #	LENGTH x WIDTH x DEPTH					
1, 2, 3, 4	38.1 x 17.5 x 19.8 cm								
<table border="1"> <thead> <tr> <th>DRAWER #</th> <th>LENGTH x WIDTH x DEPTH</th> </tr> </thead> <tbody> <tr> <td>5, 6</td> <td>38.1 x 9.9 x 19.8 cm</td> </tr> <tr> <td>7, 8</td> <td>38.1 x 12.4 x 19.8 cm</td> </tr> </tbody> </table>	DRAWER #	LENGTH x WIDTH x DEPTH	5, 6	38.1 x 9.9 x 19.8 cm	7, 8	38.1 x 12.4 x 19.8 cm			
DRAWER #	LENGTH x WIDTH x DEPTH								
5, 6	38.1 x 9.9 x 19.8 cm								
7, 8	38.1 x 12.4 x 19.8 cm								
	MEDCHEST 8 DRAWER MC8100-0080-130	<b>FEATURES:</b> <ul style="list-style-type: none"> <li>• Eight-drawer case with full extension sliding drawers</li> <li>• 2 wheels</li> <li>• Spring loaded butterfly latches</li> <li>• Full-extension ball-bearing slides</li> <li>• Made from fire retardant material</li> <li>• Airtight and watertight</li> <li>• Customisable divider system</li> <li>• One lockable drawer</li> <li>• Removable stainless-steel work tray</li> <li>• Comfort grip handles</li> </ul> <b>APPLICATION EXAMPLES:</b> Emergency response supplies and medicines	<table border="1"> <thead> <tr> <th>DRAWER #</th> <th>LENGTH x WIDTH x DEPTH</th> </tr> </thead> <tbody> <tr> <td>1, 2, 3, 4</td> <td>38.1 x 7.4 x 19.8 cm</td> </tr> </tbody> </table>	DRAWER #	LENGTH x WIDTH x DEPTH	1, 2, 3, 4	38.1 x 7.4 x 19.8 cm	<ul style="list-style-type: none"> <li>• Exterior dimensions: 83.8 x 53.3 x 31.8 cm</li> </ul>	29.0 kg
			DRAWER #	LENGTH x WIDTH x DEPTH					
			1, 2, 3, 4	38.1 x 7.4 x 19.8 cm					
<table border="1"> <thead> <tr> <th>DRAWER #</th> <th>LENGTH x WIDTH x DEPTH</th> </tr> </thead> <tbody> <tr> <td>5, 6</td> <td>38.1 x 9.9 x 19.8 cm</td> </tr> </tbody> </table>	DRAWER #	LENGTH x WIDTH x DEPTH	5, 6	38.1 x 9.9 x 19.8 cm					
DRAWER #	LENGTH x WIDTH x DEPTH								
5, 6	38.1 x 9.9 x 19.8 cm								
<table border="1"> <thead> <tr> <th>DRAWER #</th> <th>LENGTH x WIDTH x DEPTH</th> </tr> </thead> <tbody> <tr> <td>7, 8</td> <td>38.1 x 12.4 x 19.8 cm</td> </tr> </tbody> </table>	DRAWER #	LENGTH x WIDTH x DEPTH	7, 8	38.1 x 12.4 x 19.8 cm					
DRAWER #	LENGTH x WIDTH x DEPTH								
7, 8	38.1 x 12.4 x 19.8 cm								

\* All dimensions and weights are approximate

## > LARGE, X-LARGE, XX-LARGE RUGGEDIZED SHIPPING CASES

Transport and protect big equipment in our Large, X-Large, or XX-Large Ruggedized Shipping Cases.

These cases are lightweight, shockproof, watertight, dustproof, heat, and chemical-resistant, which make them extremely tough and offer ultimate protection that will move your equipment from point A to point B without a scratch.



XX-LARGE RUGGEDIZED SHIPPING CASE  
CATALOGUE NUMBER:  
AL3834-1617-110

### > LARGE RUGGEDIZED SHIPPING CASES

PRODUCT	CATALOGUE NUMBER	FEATURES APPLICATION EXAMPLES	DIMENSIONS*		LID* DEPTH	BOTTOM* DEPTH	WEIGHT*
			LENGTH X WIDTH X DEPTH (External dimensions)	LENGTH X WIDTH X DEPTH (Internal dimensions)			
RUGGEDIZED SHIPPING CASE	AL1616-0505-110	<b>FEATURES:</b> <ul style="list-style-type: none"> <li>• Comfort grip handles</li> <li>• Positive anti-shear locks, which prevent lid separation after impact</li> <li>• Recessed hardware for extra protection</li> </ul> <b>APPLICATION EXAMPLES:</b> <ul style="list-style-type: none"> <li>• Trade shows support materials, shipping, portable general storage</li> </ul>	47.6 x 48 x 31 cm	40 x 40.3 x 26.8 cm	13 cm	13.8 cm	6.6 kg
RUGGEDIZED SHIPPING CASE	AL2013-0903-110		58.1 x 40.6 x 35.4 cm	50.5 x 33 x 31.1 cm	7.6 cm	23.5 cm	7.6 kg
RUGGEDIZED SHIPPING CASE	AL2624-1805-110		73.8 x 68.6 x 67.6 cm	66.2 x 61 x 58.1 cm	12.9 cm	45.2 cm	17.5 kg
RUGGEDIZED SHIPPING CASE	AL3018-1505-110		83.2 x 53 x 55.7 cm	75.6 x 45.4 x 51.1 cm	13.3 cm	37.8 cm	14.4 kg

\* All dimensions and weights are approximate

### > X-LARGE RUGGEDIZED SHIPPING CASES

PRODUCT	CATALOGUE NUMBER	FEATURE APPLICATION EXAMPLES	DIMENSIONS*		LID* DEPTH	BOTTOM* DEPTH	WEIGHT*
			LENGTH X WIDTH X DEPTH (External dimensions)	LENGTH X WIDTH X DEPTH (Internal dimensions)			
RUGGEDIZED SHIPPING CASE	AL3418-1005-110	<b>FEATURES:</b> <ul style="list-style-type: none"> <li>• Comfort grip handles</li> <li>• Positive anti-shear locks, which prevent lid separation after impact</li> <li>• Reinforced corners and edges for additional impact protection</li> <li>• Moulded-in ribs and corrugations for secure, non-slip stacking, columnar strength, and added protection</li> </ul>	94.4 x 53.3 x 44 cm	86.8 x 45.7 x 39.0 cm	13.3 cm	25.7 cm	13.9 kg
RUGGEDIZED SHIPPING CASE	AL4024-1305-110		108.9 x 69.4 x 51.3 cm	101.3 x 61.7 x 45.7 cm	13.3 cm	32.4 cm	22.8 kg
** RUGGEDIZED SHIPPING CASE (FOR FLAT SCREEN)	AL5415-1026-110	<b>APPLICATION EXAMPLES:</b> <ul style="list-style-type: none"> <li>• Trade shows support materials, shipping, portable general storage</li> </ul>	144.8 x 48.0 x 95.3 cm	137.2 x 40.3 x 89.9 cm	64.5 cm	25.4 cm	40.6 kg

\* All dimensions and weights are approximate

### > XX-LARGE RUGGEDIZED SHIPPING CASES

PRODUCT	CATALOGUE NUMBER	FEATURES APPLICATION EXAMPLES	DIMENSIONS*		LID* DEPTH	BOTTOM* DEPTH	WEIGHT*
			LENGTH X WIDTH X DEPTH (External dimensions)	LENGTH X WIDTH X DEPTH (Internal dimensions)			
*** RUGGEDIZED SHIPPING CASE	AL3834-1617-110	<b>FEATURES:</b> <ul style="list-style-type: none"> <li>• Comfort Grip Handles</li> <li>• Positive anti-shear locks, which prevent lid separation after impact</li> <li>• Reinforced corners and edges for additional impact protection</li> <li>• Moulded-in ribs and corrugations for secure, non-slip stacking, columnar strength, and added protection</li> </ul>	104.4 x 94.3 x 98.6 cm	96.8 x 86.7 x 83.8 cm	43.8 cm	40.0 cm	39.2 kg
** RUGGEDIZED SHIPPING CASE	AL5424-2306-110		144.4 x 68.4 x 85.7 cm	136.8 x 60.8 x 73.3 cm	15.5 cm	57.8 cm	47.3 kg
RUGGEDIZED SHIPPING CASE	AL6912-1003-110	<b>APPLICATION EXAMPLES:</b> <ul style="list-style-type: none"> <li>• Trade shows support materials, shipping, portable general storage</li> </ul>	183.8 x 38.1 x 41.4 cm	176.2 x 30.5 x 35.8 cm	9.1 cm	26.6 cm	19.1 kg

\* All dimensions and weights are approximate

Training on these products and information on additional packaging solutions are available. Please call your local Peli sales representative.



Peli Products, S.L.  
c/Casp, 33-B Pral.  
08010 Barcelona, Spain  
Tel: +34 93-467-4999  
Fax: +34 93-467-7393  
www.Peli.com



147 North Main Street  
South Deerfield, MA 01373  
Tel: (800) 542-7344  
Fax: (413) 665-8330  
www.Hardigg.com

HEADQUARTERS  
EUROPE, MIDDLE EAST  
& AFRICA  
Peli Products, S.L.  
c/Casp, 33-B Pral.  
08010 Barcelona, Spain  
www.peli.com

SALES OFFICE FRANCE  
Peli Products France, S.A.S.  
487 rue Léopold Le Hon.  
0100 Bourg en Bresse, France  
Tel +33 4 74 22 80 40  
Fax +33 4 74 22 09 34  
www.peli.com

SALES OFFICE GERMANY  
Peli Products Germany GmbH  
Graf-Adolf-Platz 15  
40213 Düsseldorf, Germany  
Tel +49 (0) 211 882 42 401  
Fax +49 (0) 211 882 42 200  
www.peli.com